



# Trophy Gold Ballistics



Wind: 5 mph at 9 o'clock. Standard atmospheric conditions.

## 243 Winchester 87 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3267	2062	-1.6	0
<b>100</b>	<b>3017</b>	<b>1759</b>	<b>0</b>	<b>0.34</b>
200	2781	1495	-2.23	1.38
300	2558	1264	-8.98	3.21
400	2346	1063	-21.07	5.92
500	2144	888	-39.5	9.62

## 243 Winchester 95 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3174	2126	-1.6	0
<b>100</b>	<b>2974</b>	<b>1866</b>	<b>0</b>	<b>0.27</b>
200	2780	1630	-2.34	1.12
300	2592	1418	-9.19	2.63
400	2412	1227	-21.22	4.87
500	2239	1057	-39.25	7.91

## 257 Roberts 115 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2955	2230	-1.6	0
<b>100</b>	<b>2756</b>	<b>1939</b>	<b>0</b>	<b>0.32</b>
200	2563	1678	-2.99	1.32
300	2379	1445	-11.28	3.07
400	2202	1239	-25.73	5.67
500	2033	1056	-47.37	9.22

**25-06 Remington 115 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3165	2559	-1.6	0
<b>100</b>	<b>2960</b>	<b>2237</b>	<b>0</b>	<b>0.27</b>
200	2760	1946	-2.38	1.15
300	2568	1684	-9.34	2.72
400	2383	1450	-21.58	5.04
500	2206	1243	-39.96	8.2

**257 Weatherby 115 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3321	2817	-1.6	0
<b>100</b>	<b>3112</b>	<b>2473</b>	<b>0</b>	<b>0.27</b>
200	2908	2159	-2	1.11
300	2710	1876	-8.12	2.58
400	2520	1621	-18.99	4.75
500	2337	1395	-35.35	7.7

**260 Remington 130 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2784	2238	-1.6	0
<b>100</b>	<b>2620</b>	<b>1981</b>	<b>0</b>	<b>0.31</b>
200	2461	1749	-3.47	1.25
300	2308	1538	-12.69	2.87
400	2160	1348	-28.44	5.23
500	2018	1176	-51.65	8.41

**6.5 x 55 Swedish 130 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2768	2212	-1.6	0
<b>100</b>	<b>2605</b>	<b>1958</b>	<b>0</b>	<b>0.32</b>
200	2447	1728	-3.63	1.27
300	2294	1520	-13.08	2.91
400	2147	1331	-29.13	5.29
500	2006	1162	-52.74	8.5

**6.5 x 55 Swedish 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2630	2151	-1.6	0
<b>100</b>	<b>2486</b>	<b>1922</b>	<b>0</b>	<b>0.25</b>
200	2348	1713	-4.02	1.11
300	2213	1523	-14.35	2.62
400	2083	1349	-31.78	4.85
500	1958	1192	-57.23	7.86

**6.5 x 284 Norma 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3016	2828	-1.6	0
<b>100</b>	<b>2862</b>	<b>2547</b>	<b>0</b>	<b>0.24</b>
200	2712	2286	-2.64	0.98
300	2566	2047	-10.02	2.24
400	2424	1827	-22.68	4.09
500	2287	1627	-41.25	6.56

**264 Winchester Magnum 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2852	2529	-1.6	0
<b>100</b>	<b>2702</b>	<b>2270</b>	<b>0</b>	<b>0.22</b>
200	2556	2032	-3.16	0.98
300	2415	1813	-11.64	2.32
400	2278	1614	-26.09	4.29
500	2146	1432	-47.24	6.94

**270 Winchester 130 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2967	2542	-1.6	0
<b>100</b>	<b>2761</b>	<b>2201</b>	<b>0</b>	<b>0.36</b>
200	2562	1895	-3.07	1.42
300	2372	1624	-11.45	3.27
400	2190	1384	-26.04	5.99
500	2016	1173	-47.9	9.70

**270 Winchester 150 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2787	2588	-1.6	0
<b>100</b>	<b>2617</b>	<b>2281</b>	<b>0</b>	<b>0.33</b>
200	2453	2004	-3.58	1.31
300	2295	1754	-12.96	2.99
400	2143	1529	-28.93	5.46
500	1996	1328	-52.5	8.78

**270 WSM 130 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3214	2983	-1.6	0
<b>100</b>	<b>3000</b>	<b>2599</b>	<b>0</b>	<b>0.28</b>
200	2793	2252	-2.27	1.18
300	2592	1940	-9.01	2.78
400	2400	1664	-20.95	5.14
500	2217	1419	-38.93	8.37

**270 WSM 150 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3024	3047	-1.6	0
<b>100</b>	<b>2847</b>	<b>2700</b>	<b>0</b>	<b>0.29</b>
200	2675	2384	-2.79	1.16
300	2509	2097	-10.45	2.65
400	2349	1838	-23.64	4.82
500	2195	1604	-43.15	7.75

**7mm-08 Remington 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2811	2457	-1.6	0
<b>100</b>	<b>2633</b>	<b>2155</b>	<b>0</b>	<b>0.34</b>
200	2461	1883	-3.43	1.35
300	2296	1639	-12.61	3.1
400	2137	1420	-28.39	5.65
500	1985	1225	-51.8	9.11

**280 Remington 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2894	2604	-1.6	0
<b>100</b>	<b>2713</b>	<b>2289</b>	<b>0</b>	<b>0.33</b>
200	2539	2004	-3.22	1.29
300	2371	1748	-11.86	2.96
400	2209	1518	-26.69	5.41
500	2054	1312	-48.65	8.71

**7mm WSM 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2981	3316	-1.6	0
<b>100</b>	<b>2829</b>	<b>2987</b>	<b>0</b>	<b>0.23</b>
200	2681	2682	-2.74	0.96
300	2538	2402	-10.32	2.23
400	2398	2146	-23.3	4.08
500	2263	1911	-42.33	6.55

**7mm Remington Magnum 140 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3181	3146	-1.6	0
<b>100</b>	<b>2992</b>	<b>2784</b>	<b>0</b>	<b>0.24</b>
200	2809	2453	-2.28	1.04
300	2631	2152	-8.99	2.44
400	2459	1880	-20.73	4.51
500	2294	1636	-38.23	7.31

**7mm Remington Magnum 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2903	3145	1.6	0
100	2753	2828	1.49	0.27
<b>200</b>	<b>2608</b>	<b>2537</b>	<b>0</b>	<b>1.05</b>
300	2466	2270	-6.6	2.4
400	2330	2025	-18.9	4.3
500	2197	1801	-37.7	6.9
600	2069	1597	-63.6	10.3
700	1945	1412	-97.7	14.3
800	1825	1243	-140.9	19.3
900	1709	1090	-194.7	25.2
1000	1596	950	-260.2	32.1

**7mm Remington Magnum 180 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2845	3236	-1.6	0
100	2706	2927	1.57	0.24
<b>200</b>	<b>2570</b>	<b>2641</b>	<b>0</b>	<b>0.97</b>
300	2439	2377	-6.83	2.24
400	2311	2135	-19.52	4.09
500	2187	1912	-38.71	6.56
600	2067	1708	-65.16	9.7
700	1951	1521	-99.76	13.57
800	1838	1350	-143.49	18.24
900	1728	1194	-197.5	23.79
1000	1621	1051	-263.16	30.29

**7mm Shooting Times Westerner 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3205	3833	-1.6	0
100	3049	3467	1.07	0.16
<b>200</b>	<b>2895</b>	<b>3128</b>	<b>0</b>	<b>0.75</b>
300	2746	2813	-5.22	1.82
400	2600	2522	-15.05	3.42
500	2459	2256	-30.03	5.57
600	2322	2012	-50.76	8.33
700	2190	1789	-77.94	11.75
800	2062	1586	-112.38	15.89
900	1938	1401	-154.99	20.81
1000	1818	1233	-206.86	26.6

**7mm Shooting Times Westerner 180 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3080	3793	-1.6	0
100	2936	3445	1.22	0.18
<b>200</b>	<b>2794</b>	<b>3121</b>	<b>0</b>	<b>0.79</b>
300	2656	2821	-5.67	1.88
400	2522	2543	-16.26	3.48
500	2392	2287	-32.32	5.63
600	2266	2052	-54.46	8.37
700	2143	1836	-83.37	11.75
800	2025	1639	-119.84	15.82
900	1910	1458	-164.8	20.65
1000	1798	1292	-219.29	26.31

### 7mm RUM 168 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3279	4012	-1.6	0
100	3121	3635	0.98	0.22
<b>200</b>	<b>2967</b>	<b>3284</b>	<b>0</b>	<b>0.87</b>
300	2816	2958	-4.94	1.97
400	2668	2656	-14.26	3.58
500	2525	2379	-28.47	5.72
600	2386	2125	-48.13	8.45
700	2252	1893	-73.9	11.81
800	2122	1681	-106.53	15.86
900	1997	1488	-146.87	20.66
1000	1875	1312	-195.93	26.28

### 7mm RUM 180 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3093	3825	-1.6	0
100	2949	3475	1.2	0.23
<b>200</b>	<b>2807</b>	<b>3150</b>	<b>0</b>	<b>0.89</b>
300	2669	2848	-5.61	2.02
400	2535	2568	-16.1	3.66
500	2404	2311	-32	5.84
600	2278	2074	-53.92	8.61
700	2155	1857	-82.53	12.02
800	2036	1658	-118.63	16.11
900	1921	1475	-163.11	20.95
1000	1809	1308	-217.01	26.6

### 308 Winchester 168 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2740	2801	-1.6	0
<b>100</b>	<b>2551</b>	<b>2427</b>	<b>0</b>	<b>0.36</b>
200	2369	2094	-3.75	1.47
300	2195	1797	-13.72	3.41
400	2028	1535	-30.92	6.3
500	1869	1303	-56.59	10.23

**308 Winchester 185 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2606	2790	-1.6	0
<b>100</b>	<b>2447</b>	<b>2461</b>	<b>0</b>	<b>0.28</b>
200	2294	2162	-4.21	1.24
300	2147	1893	-15.03	2.96
400	2005	1651	-33.41	5.51
500	1868	1433	-60.45	8.98

**308 Winchester 210 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2508	2934	-1.6	0
<b>100</b>	<b>2373</b>	<b>2625</b>	<b>0</b>	<b>0.29</b>
200	2241	2343	-4.57	1.21
300	2115	2085	-16.06	2.81
400	1992	1850	-35.33	5.14
500	1873	1636	-63.36	8.28

**30-06 Springfield 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2808	2942	-1.6	0
<b>100</b>	<b>2616</b>	<b>2554</b>	<b>0</b>	<b>0.37</b>
200	2432	2206	-3.49	1.46
300	2255	1897	-12.88	3.36
400	2086	1623	-29.13	6.16
500	1924	1381	-53.38	9.97

**30-06 Springfield 185 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2721	3042	-1.6	0
<b>100</b>	<b>2558</b>	<b>2689</b>	<b>0</b>	<b>0.3</b>
200	2401	2369	-3.71	1.25
300	2250	2079	-13.47	2.9
400	2104	1818	-30.09	5.33
500	1963	1584	-54.59	8.62



**30-06 Springfield 210 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2534	2995	-1.6	0
<b>100</b>	<b>2398</b>	<b>2681</b>	<b>0</b>	<b>0.3</b>
200	2266	2394	-4.44	1.22
300	2138	2132	-15.66	2.81
400	2015	1893	-34.48	5.12
500	1895	1675	-61.87	8.22

**300 SAUM 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2989	3334	-1.6	0
<b>100</b>	<b>2791</b>	<b>2907</b>	<b>0</b>	<b>0.31</b>
200	2600	2522	-2.87	1.28
300	2416	2178	-10.9	2.99
400	2240	1872	-24.9	5.51
500	2071	1601	-45.84	8.94

**300 WSM 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3109	3607	-1.6	0
100	2908	3154	1.26	0.24
<b>200</b>	<b>2712</b>	<b>2745</b>	<b>0</b>	<b>1.11</b>
300	2524	2377	-6	2.66
400	2343	2049	-17.47	4.98
500	2170	1758	-35.29	8.16
600	2005	1500	-60.5	12.28
700	1846	1272	-94.39	17.47
800	1694	1070	-138.5	23.87
900	1547	893	-194.77	31.66
1000	1406	738	-265.61	41.03

### 300 WSM 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2991	3676	-1.6	0
100	2820	3268	1.39	0.26
<b>200</b>	<b>2654</b>	<b>2895</b>	<b>0</b>	<b>1.07</b>
300	2494	2555	-6.33	2.5
400	2339	2248	-18.25	4.6
500	2190	1970	-36.54	7.43
600	2046	1720	-62.09	11.07
700	1908	1495	-95.94	15.6
800	1774	1293	-139.36	21.12
900	1645	1112	-193.84	27.75
1000	1520	949	-261.19	35.63

### 300 WSM 210 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2760	3553	-1.6	0
100	2617	3194	1.74	0.14
<b>200</b>	<b>2478</b>	<b>2865</b>	<b>0</b>	<b>0.82</b>
300	2344	2562	-7.4	2.09
400	2214	2285	-21.13	4
500	2088	2033	-41.95	6.6
600	1966	1802	-70.75	9.95
700	1848	1592	-108.54	14.12
800	1733	1400	-156.52	19.2
900	1622	1226	-216.08	25.27
1000	1513	1068	-288.87	32.45

### 300 H&H 168 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3042	3453	-1.6	0
100	2843	3015	1.36	0.33
<b>200</b>	<b>2650</b>	<b>2620</b>	<b>0</b>	<b>1.3</b>
300	2465	2266	-6.32	2.98
400	2287	1951	-18.38	5.46
500	2116	1671	-37.11	8.82
600	1953	1424	-63.62	13.16
700	1797	1205	-99.26	18.61
800	1647	1011	-145.7	25.32
900	1502	842	-205	33.47
1000	1364	694	-279.76	43.29

### 300 H&H 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2868	3380	-1.6	0
100	2701	2997	1.58	0.31
<b>200</b>	<b>2539</b>	<b>2649</b>	<b>0</b>	<b>1.21</b>
300	2383	2333	-6.99	2.77
400	2232	2047	-20.1	5.04
500	2087	1790	-40.2	8.09
600	1948	1559	-68.28	12.01
700	1813	1350	-105.55	16.89
800	1682	1163	-153.4	22.84
900	1557	995	-213.56	29.98
1000	1435	846	-288.08	38.48

### 300 Winchester Magnum 168 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3193	3804	1.6	0
100	3000	3358	1.1	0.1
<b>200</b>	<b>2812</b>	<b>2950</b>	<b>0</b>	<b>0.2</b>
300	2630	2581	-5.5	0.3
400	2455	2248	-16.1	0.4
500	2286	1950	-32.5	0.55
600	2124	1684	-55.5	0.7
700	1969	1447	-86.3	0.8
800	1820	1236	-126	1
900	1676	1048	-176.3	1.2
1000	1538	882	-238.9	1.35

### 300 Winchester Magnum 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3132	4031	1.6	0
100	2961	3602	1.18	0.1
<b>200</b>	<b>2794</b>	<b>3208</b>	<b>0</b>	<b>0.2</b>
300	2632	2847	-5.6	0.3
400	2476	2518	-16.3	0.4
500	2324	2220	-32.7	0.6
600	2178	1950	-55.4	0.7
700	2038	1706	-85.6	0.8
800	1902	1487	-124.1	1.0
900	1771	1289	-172.2	1.1
1000	1645	1111	-231.4	1.3

**300 Winchester Magnum 210 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2922	3982	1.6	0
100	2774	3588	1.46	0.1
<b>200</b>	<b>2629</b>	<b>3224</b>	<b>0</b>	<b>0.2</b>
300	2489	2890	-6.5	0.3
400	2353	2583	-18.6	0.5
500	2222	2302	-37.0	0.6
600	2095	2046	-62.4	0.7
700	1972	1813	-95.7	0.9
800	1852	1600	-138.0	1.0
900	1736	1406	-190.5	1.2
1000	1624	1230	-254.4	1.4

**300 Weatherby 168 gr. Berger Hunting VLD**

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3248	3936	-1.6	0
100	3043	3455	1.08	0.22
<b>200</b>	<b>2844</b>	<b>3017</b>	<b>0</b>	<b>1.02</b>
300	2650	2621	-5.39	2.46
400	2465	2266	-15.75	4.61
500	2287	1951	-31.84	7.56
600	2116	1670	-54.61	11.39
700	1953	1423	-85.15	16.21
800	1796	1204	-124.84	22.13
900	1646	1010	-175.33	29.32
1000	1501	840	-238.7	37.96

### 300 Weatherby 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3108	3969	-1.6	0
100	2934	3538	1.22	0.22
<b>200</b>	<b>2765</b>	<b>3141</b>	<b>0</b>	<b>0.96</b>
300	2601	2779	-5.77	2.29
400	2442	2451	-16.69	4.24
500	2289	2153	-33.44	6.89
600	2142	1885	-56.84	10.29
700	2000	1644	-87.82	14.53
800	1863	1427	-127.5	19.68
900	1731	1231	-177.21	25.87
1000	1603	1056	-238.53	33.2

### 300 Weatherby 210 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3036	4299	-1.6	0
100	2886	3885	1.29	0.14
<b>200</b>	<b>2740</b>	<b>3501</b>	<b>0</b>	<b>0.75</b>
300	2598	3147	-5.91	1.87
400	2460	2821	-16.99	3.54
500	2326	2523	-33.81	5.8
600	2196	2249	-57.06	8.71
700	2071	2000	-87.51	12.31
800	1949	1772	-126.08	16.68
900	1832	1565	-173.79	21.88
1000	1717	1375	-231.87	28

### 300 RUM 168 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3513	4605	-1.6	0
100	3302	4069	0.8	0.25
<b>200</b>	<b>3096</b>	<b>3577</b>	<b>0</b>	<b>1</b>
300	2895	3127	-4.44	2.31
400	2700	2721	-13.03	4.26
500	2513	2355	-26.41	6.89
600	2332	2030	-45.31	10.3
700	2160	1741	-70.61	14.56
800	1995	1485	-103.39	19.79
900	1837	1258	-144.92	26.08
1000	1684	1059	-196.79	33.6

### 300 RUM 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3238	4308	-1.6	0
100	3062	3852	1.05	0.26
<b>200</b>	<b>2889</b>	<b>3430</b>	<b>0</b>	<b>1</b>
300	2722	3044	-5.22	2.29
400	2559	2691	-15.15	4.17
500	2402	2371	-30.39	6.69
600	2251	2082	-51.66	9.92
700	2105	1821	-79.8	13.92
800	1965	1587	-115.79	18.78
900	1830	1375	-160.8	24.58
1000	1699	1186	-216.2	31.44

### 300 RUM 210 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3010	4226	1.6	0
100	2860	3814	1.32	0.1
<b>200</b>	<b>2713</b>	<b>3433</b>	<b>0</b>	<b>0.2</b>
300	2570	3081	-6.1	0.3
400	2432	2758	-17.4	0.4
500	2298	2463	-34.6	0.6
600	2168	2192	-58.3	0.7
700	2043	1946	-89.5	0.9
800	1921	1722	-129.03	1
900	1803	1517	-178	1.2
1000	1689	1331	-237.6	1.3

### 30-378 Weatherby 185 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3334	4567	-1.6	0
100	3156	4091	0.95	0.14
<b>200</b>	<b>2981</b>	<b>3651</b>	<b>0</b>	<b>0.74</b>
300	2810	3245	-4.87	1.86
400	2645	2874	-14.15	3.55
500	2485	2536	-28.39	5.85
600	2330	2231	-48.29	8.82
700	2181	1955	-74.59	12.54
800	2038	1707	-108.2	17.06
900	1900	1483	-150.2	22.48
1000	1767	1282	-201.84	28.9

### 30-378 Weatherby 210 gr. Berger Hunting VLD

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3170	4687	-1.6	0
100	3018	4247	1.11	0.12
<b>200</b>	<b>2868</b>	<b>3837</b>	<b>0</b>	<b>0.68</b>
300	2722	3457	-5.34	1.71
400	2581	3106	-15.36	3.26
500	2443	2783	-30.62	5.36
600	2310	2488	-51.69	8.06
700	2181	2218	-79.29	11.41
800	2056	1971	-114.19	15.47
900	1935	1746	-157.32	20.3
1000	1817	1541	-209.75	25.97

### 338 Winchester Magnum 250 gr. Berger Hybrid OTM Tactical

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2678	3982	-1.6	0
100	2548	3604	1.87	0.18
<b>200</b>	<b>2421</b>	<b>3255</b>	<b>0</b>	<b>0.88</b>
300	2298	2933	-7.8	2.15
400	2179	2636	-22.18	4.02
500	2063	2364	-43.88	6.54
600	1951	2114	-73.74	9.78
700	1842	1884	-112.73	13.78
800	1736	1673	-161.95	18.62
900	1633	1480	-222.71	24.38
1000	1532	1304	-296.51	31.16

### 338 Winchester Magnum 300 gr. Berger Hybrid OTM Tactical

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2400	3838	-1.6	0
100	2298	3518	2.48	0.25
<b>200</b>	<b>2198</b>	<b>3220</b>	<b>0</b>	<b>1.01</b>
300	2101	2942	-9.67	2.3
400	2007	2683	-27.2	4.17
500	1915	2442	-53.35	6.65
600	1824	2217	-88.97	9.79
700	1736	2008	-135.02	13.64
800	1650	1814	-192.59	18.25
900	1566	1634	-262.91	23.69
1000	1484	1466	-347.4	30.04

### 338 Lapua 250 gr. Berger Hybrid OTM Tactical

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	3046	5152	-1.6	0
100	2907	4692	1.26	0.14
<b>200</b>	<b>2771</b>	<b>4264</b>	<b>0</b>	<b>0.7</b>
300	2639	3865	-5.78	1.73
400	2509	3496	-16.55	3.26
500	2384	3156	-32.84	5.32
600	2262	2841	-55.25	7.96
700	2144	2552	-84.44	11.21
800	2030	2287	-121.2	15.14
900	1918	2043	-166.39	19.79
1000	1810	1819	-221.03	25.23

### 338 Lapua 300 gr. Berger Hybrid OTM Tactical

Range (y)	Velocity (fps)	Energy (ft-lbs)	Elevation (inches)	Windage (inches)
0	2762	5083	-1.6	0
100	2652	4684	1.67	0.1
<b>200</b>	<b>2543</b>	<b>4310</b>	<b>0</b>	<b>0.62</b>
300	2438	3960	-7.03	1.57
400	2335	3633	-19.91	2.99
500	2235	3327	-39.15	4.9
600	2137	3042	-65.34	7.33
700	2041	2776	-99.14	10.32
800	1948	2529	-141.27	13.92
900	1857	2298	-192.54	18.15
1000	1768	2083	-253.89	23.07

For other ballistics, please use the Berger Bullets Ballistics calculator at..

<http://www.bergerbullets.com/ballistics/>

